Ph: 06782-224399



# REMUNA DEGREE C

# REMUNA, BALASORE, ODISHA-756019

# NAAGAGGREDITED + B++

Web: www.remunadegreecollege.org, E-mail: remunadegreecollege@gmail.com

Letter No. 297

Date: 17-05:25

### **Quotation Call Notice**

Sealed quotation are invited from the registered Firms having GST registration with IT clearance to supply the IT items for Improvement of IT Infrastructure of the college which must reach the undersigned on or before dt.28.05.25 at 3 P.M.The undersigned has every right to reject or cancel any quotation without assigning any reason thereof . The required items as annexed herewith are to be supplied with the following terms and conditions.

- 1. The quotation must reach the office of the undersigned within the stipulated date or else the quotation will be cancelled without notice.
- 2. Price of the Item including G.S.T. must be mentioned.
- 3. The payment will be made as per the OGFR rule 2023 and Income tax act, 1961.
- 4. The delivery of the items will be made at the college office with no transport cost.
- The sealed quotation will be opened in the office of the Principal on dated.29.05.25 at 11 5. A.M.
- 6. The Item supplied must contain the warranty for a specific period.
- 7. Required items must reach to the office of the under signed in a satisfactory condition.
- 8. The GST @2% and IT @1% will be deducted from the gross value, if the grand total exceeds more than 02 lakhs payable to a single firm as per the guidelines of Finance Department.

Mlamed 1710 5/25

Memo No:

298

Dt. 17.05.25

Copy to the Sub-Collector, Balasore / Regional Director, Higher Education, Balasore / B.D.O., Remuna/ Tahasildar, Remuna for favour of kind information and with a request to publish in your Notice Mlennel Principal 17/05/25 Board for wide publication.

Memo No:

Dt. 17.05-25

Copy to the College N.B/College Website/Office copy for wide circulation.

Remuna Degree College Principal-Cum-Secretary Remuna Degree College Remuna, Balasore



## LIST OF DELIVERABLES

	The root	Quantity
Item No	Items	3 10 2
		40 N
01	i5 and above Desktop with 19.5" display	12 Nos
02	600VA/360W UPS	12 Nos
03	Multifunction Printer machine	2 Nos
		01 Nos
04	65" LED TV	1 No
05	Wireless Mic & Camera for virtual	1 No
	meeting	
06	Structural LAN & internet facility to	01 set
	above Desktop Computer	

#### SCOPE OF WORK

A. Delivery of Materials:-

Supply of all the Items that will meet our requirements as per the List of Deliverables and detail specification.

All the items should be supplied by a single vender and executed as per the scope of work mentioned.

B. Installation and Commissioning:

- 1. The OEM should have a direct technical support staff and /or office in Odisha for immediate technical support official HR documentation required.
- 2. The OEM must have valid ISO 9001:2015,ISO45001:2018 ,ISO27001:2022,ISO14001:2015 and ISO50001:2018 certified company.(Related certificate copy required).
- 3. The OEM should have established office in India from more than 15 yrs (valid certificate of incorporation required.)
- 4. The buyer reserves the rights for any changes/cancellation/rejection of any part or whole bid, without assigning any reason what so ever.
- 5. Manufacturer authorisation: Wherever authorised distributors/dealers are submitting the bid, manufacturer authorisation form (MAF)/certificate with OEM details such as name, designation, address, e-mail ID and phone no required to be furnished along with the tender.
- 6. Only OEMS with a manufacturing unit in India possessing a valid and latest factory license, certified quality processes audited & acknowledged by QCI/RITES(through On-Site/Virtual Assessment)and recognised domestic (R & D) facility will be eligible.(Factory Licence, OEM Assessment Report(Abridged)and Recognition Letter for in House R&B by QCI/RITES and DSIR respectively or Government of India recognised certification authority to be submitted along with MII Declaration)
- 7. Data sheet of the product(s) offered in the bid are to be uploaded along with the bid documents, Buyers can match and verify the Data sheet with the product specifications offered .In case of any unexplained mismatch of technical parameters, the bid is liable for
- 8. Dedicated/toll free Telephone no. for service support, Escalation matrix for service support
- 9. Valid GST Certificate
- 10. Valid PAN

Principal-Cum-Secretary Remuna Degree College

Remuna, Balasore



**Desktop Specification** 

Veskto	Specification
Items	Specification
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)
Chipset Number	Intel H670/Intel® H770 or higher Chipset
Processor Make	Intel
Processor	x86 64-bit architecture
Processor Generation	15 Or higher
Processor Description	Intel Core is or higher
Processor Number	Intel Core i5 13100 or higher
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher
Operating System	Windows 11 Home Factory Preloaded
RAM Size (GB)	
RAM Expandability up to (using spare DIMM Slots in GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIIM Slots) 64 GB or higher
Integrated Graphics	
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Intel UHD Graphics 770 or higher Yes
Type of Drives used to populate the Internal Bays	NVMe SSO
Total HDD Capacity (GB)	NA
Total SSD Capacity (GB)	
Optical Drive	512GB NVMe SSD
Orive Bays	Optional Two 3.5" (2.5") HDD
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (Full Height),
LAN	2 M.2 slots for WLAN & SSD
Ports and Connectors	LAN: Integrated 10/100/1000M  Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power
irmware Trusted Platform Module	connector; 1 RJ-45; 1 DP; 2 USB 2.0
Hardware Security lock slot	
ower Supply	Security lock slot  180-260Watt Internal power supply with minimum 90% efficiency
	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required.
ertification	OEM must have the ISO 9001,14001, ISO 20001, ISO 27001 Certificate
·	Microsoft Windows, Energy star 8.0 certified
	Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of
eyboard Mouse	products at the time of participation of the Bid.
Onitor	USB Keyboard; USB Optical Mouse
	19.5" LED Display with CTO Certified and same must be belongs to the same OEM
ars of Warranty	3 Year Onsite Warranty

Contd .. P/3

Principal-Cum-Secretary
Remuna Degree College
Remuna, Balasore



		eractive UPS Specifications  General Specifications	
SI. No.	Feature	General Specifications	
1	UPS Capacity (total)	600VA/360W	
2	Input Voltage	230 VAC nominal	
3	Input Frequency	45 - 65 Hz	
4	Brownout Transfer	145 VAC typical	
5	Over-voltage Transfer	290 VAC typical	
б	Voltage on Battery	230 VAC typical (stepped approximated sine wave)	
7	Frequency - On Battery	50Hz typical	
8	Transfer Time	@50 Hz : 6 ms typical, 10 ms max	
9	Air Ventilation	Should have Side and Back Honey bee Perforation for heat dispersion	
10	Protection from Humidity & Dust	UPS Should have conformal paint coating on PCB for Insulation for Dust and Humidity	
11	Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto S years	
12	No Load Shutdown	UPS Should work on loads of 2-3 watts also	
13	AC Surge Protection	Full time, 160 joules	
14	Automatic Re start of UPS	In case the UPS backup is totally drained and automatic switched off, when the grid power resumes the UPS Should Auto Start without human interference.	
15	Type (maintenance-free)	12V, 7,2 Ah	
16	Typical rechaige time	4-6 hours	
17	Operating Temperature	0°C to 40°C	
13	Storage Temperature	-15°C to 45°C	
19	3 power outlets	With battery backup and surge protection	
20	Power Cord	1.2 meters	
21	Runtime for Single PC load (60W ± 15W)	27 min (normal mode)	
22	Runtime for Workstation PC (100W ±15W)	13 min (normal mode)	
23	Battery Saver (to save on battery life)	Thru toggle button on front panel	
24	Certification	815	
25	Designed and Manufactured in India	Yes	
26	Warranty	Zyeas/rs	

contd... /4

	DEG	REE	
REMUL	ESTD.	1	FOR
A.C.	UNA. BI	LASO	

	Generic
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibility	Windows 10 and Above, Linux, Mac OS, Windows Server
Print Paper Size	Printing
Minimum Print Speed per	A4 and Legal
Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	26 to 30
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	Yes
	Scanning
Maximum Scan Area Platen/Flatbed Size)	A4 and Legal
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	11 to 20
can To Functions	Email
4 Scan Speed - Mono (Image er Minute) @ 300 x 300 dpi	11 to 20
Solution and F. L.	COPYING
Reduction and Enlargement eature	Yes

anni da rengene anno an <del>a ang maganagan ana ana ana ana an</del> a ang ang ang ang ang ang ang ang ang an	PAPER HANDLING
out In	Automatic Document Feeders (ADF)
Original Document Feeder Type	Automatic Document Leeders (ADL)
(For Scanning and Copying)	
Feeder Capacity (Number of	31 to 40
Sheets) (For Scanning and	01 10 10
Copying)	
Number of Main Paper Tray	1
Rumber of Main Capor May	•
Total Paper Tray Combined	101 to 200
Capacity (Number) at 75 GSM	
Bypass Tray Facility	No
If Yes, Bypass Tray Capacity	0
Connectivity	
Connectivity	USB Port,Ethernet Port,Wi-Fi
Accessories Provided	USB Cable
	Performance
Minimum Yield of the	700
Cartridge/Ink/Toner supplied	
with Machine as per IS/ISO/IEC:	
19752/2017 for Black (Number	
of Prints)	
Minimum Yield of the	0
Cartridge/Ink/Toner Supplied	
with Machine as per IS/ISO/IEC:	
19798:2017 for Cyan, Yellow	
and Magenta Color (Number of	
Prints)	
	w i
- 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Minimum Duty Cycle (Number	10,001 to 20,000
of Prints/Month)	10,001:10:20,000
OLI THIRDAMOURITY	
A SACTOR OF THE SACTOR AND A SA	POWER
Power Supply	Single Phase AC 220 - 240 V, 50 - 60 Hz
Maximum Power Consumption	1300
(in Watt)	
Environmental	
Minimum Operating	10
Temperature (Degree C)	
Maximum Operating	30
Temperature (Degree C)	*

Minimum Operating Humidity (%RH)	20			
Maximum Operating Humidity (%RH)	80			
	Dimension			broadcacce
Standard Machine Weight with Single Tray (in Kg)	11			***************************************
	Certification			Antalogia
BIS CRS Compliance	Yes as per IS 13252 (Part 1)		iliania addicadanzia e prominente	SURFERING.
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000	and the second s		Harden Control
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes	nemen and an emergen and an emergence of the enemen as a second	мини в подовори в под	100000000000000000000000000000000000000
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes			aad valle dan jara

Contd. 1/7

WA BALAS	Screen Size	65
	Brightness (cd/m²)	350Nits or better
-	Contrast Ratio	1200:1
	Dynamic Contrast Ratio	400,000:1
eneral Features	Response Time (ms)	8.0
enerarreadures	Display resolution (H x V, pixels)	3840 x 2160
	HDR (High Dynamic Range) compatiblity	Yes (HDR10, HLG)
	Aspect Ratio	16:9
	Portrait/Tilt Compatibility	Yes
	Dimming type	Frame Dimming
•	Display Device	LCD
	Panel Type	IPS ·
······································		Direct LED
	Backlight type	69%
Display features	Color gamut (NTSC)	16/7
	Operation time	1 %
	Haze (%)	178 (89/89) degree
,	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Up/Down)	1/8 (89/89) Degree
	HDMI Signal	3840 x 2160p (24, 25, 30, 50 60 Hz), 1080p (30, 50, 60 Hz 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i 480p,480i
	Speaker Position	Down Firing
Audio Specs	Audio Power Output	10W + 10W
	Pro settings	Yes (Simple Pro settings mer
Professional	HDMI auto wake-up	Yes
features	Operating System	Android TV
	On-board Storage (G8)	16GB
	RAM STATE AND THE STATE OF THE RAM	3G8
	Wi-Fi Certified	Yes
Network Specs	Wireless LAN	Integrated
	. USB playback codecs	MPEG1:MPEG1/MPEG2 PS:MPEG2/MPEG2 WEBM:AV1/AC4/ogg/AAG
Convenience	On Screen Clock	Yes
features	Sleep Timer	Yes
	On/Off Timer	Yes Yes
. –	Chromecast built-in	Yes
	Apple AirPlay	Yes
****	IP Control	Yes
Control Specs	RS-232C Control	. Yes
Court of Specs	HDMI-CEC	Yes
	HDCP	HDCP2.3 (for HDMI1/2/3
The state of the s		

Innuita and a second	HDMI inputs total	
Inputs and outputs	Analog Audio Input (s) (Total)	3 (3Side)
	Digital Audio Output (s)	1 (Side Analog Conversion
	USB ports	1 (Side)
	Ethernet inputs	2 (Side)
Design features	VESA* Hole Pitch (W x H)	1 (Side)
	Rated Power Consumption	300 x 300 mm
Invironment Specs	Power Consumption (in Standby)	226W
	Dynamic Backlight Control	0.5 W
	Power Saving Mode / Back Light Off Mode	Yes
	Dimension of TV without Stand (W x H, x D)	Yes
Measurements	Dimension of TV with Stand IW + H + DI	1462 x 842 x 71 mm
	Dimension of Package Carton (W x H x D)	1462 x 912 x 338 mm
Weight	Weight of TV without Stand	1588 x 965 x 184 mm
	Weight of TV with Stand	20.4 kg
	Weight of Package Carton (Gross)	21.3 kg
	1-1-1-1	201

Contd.1/9

224,779 (Incl of all taxes)

\$20,999 · IDE GET

Bulk quantity Discounts!!

Quantity

2-3

4-5

6-7

8-more

21

Oat

Customized Price

O Check Delivery Details

Eritor Processo

ezzaterale:

PART COD

0

0

0

0

(

Request G Colback

# 88 Industrybuying



Lagranie

Discoursed

price per

place/incl of oil

(cres)

273.98014

£23,740 53

£23,500 93 #23,34119

0

Connect

with a product toport

Available

Unavailable

Order Quantity-1

Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Graphite M

Q

(A) BUM DISCOURT

We steps within 5 days

Logkech Master Series Graphite MX Brio 4K Ultra Hd Web Camera, 980-001548

Visit the Logitech Store



EMI starts at \$2202/month. No Cost EMI available EM options

#### AVAILABLE OFFERS

Oat up to \$4,000° on a min order value of \$2,498 First-time 651 users only, T&C apply Violes

Get up to \$1,500° on a min order value of \$2,450 First-cime \$28 users only 15C opply

Year







More Delaks

Country of Origin Switzerland

Connectivity

USB-C to USB-C Cable

· focus type

Advanced Autolocus

Package Contains

MX 8710, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation

More Logitech WESCAM products Move WIRCAM groducts



Womenty as per brond



100% Original Products



Secure payments



100% Buyer protection



100 Brands











#### DESCRIPTION

Country of Origin

Switzeriond

Corvactivity

USB-C to USB-C Coble Advanced Autofocus

Focus Type Pockage Contains

MX Brio, Mount Clip with Removable Adapter, USB-C to C 3.0 Cable, User Documentation

Microphona Typa

Dual Beamforming

Width

98 mm

Zoom

Type of Product

4x Digital Zoorn

Port No

Web Camera MONERO AND AND APT

Height

ad mm

Weight

137 g

tens Type

Gloss

Intarioce

Color

**USB 30** Graphite

Resolution

4X/30 fps, 1060p/60 fps

tmage Sehtor

8.5 NO SONY STARVIS

Model No

980-001548



Thamal Principal-Cum Remuna Degree College Remuna, Balasore

WITCHED 2274GEGGA2.itm Environ-Grandelvilm modium=DI Allitm campainn=DI A GSTNon